

Vecchio


Balloon Dilatation Catheter

- ⦿ Truly Non-Compliant high pressure balloon
- ⦿ Limited "dog bone" even in the most calcified lesions and/or in-stent restenosis
- ⦿ Minimal balloon axial growth for eliminating stent strut distortion
- ⦿ A well balanced variable tip-length to ensure most optimal tip penetration force for specific range of balloon diameters
- ⦿ Advanced hydrophilic coating

TECHNICAL SPECIFICATION

Prox Shaft OD	2.0F
Distal Shaft OD	2.55F / 2.6F
Balloon Material	Property Nylon
Balloon Pleats	3 folds
Compliance	Non-Compliant
Nominal Pressure	12 atm
Rated Burst Pressure	22 atm (2.0–4.0mm) 20 atm (4.5–5.0mm)
Mean Burst Pressure	30 atm
Tip Profile	0.016"
Tip length	2.0/2.5mm
Marker Bands	2 Pt/Ir markers
Balloon Diameters (mm)	2.0 – 5.0mm (1/4 size up)
Balloon Lengths (mm)	6, 8, 10, 12, 15, 18, 20, 22, 25, 30
Coating	Glide™ Hydrophilic from tip to adjacent guidewire port (Outer surface) Fast™ coating for guidewire lumen

Unmatched High Pressure
Performance & Performance Reliability



ORDER INFORMATION

Catalog No.	Balloon Size	Catalog No.	Balloon Size	Catalog No.	Balloon Size
802-2006	Φ 2.0 x 6mm	802-2722	Φ 2.75 x 22mm	802-3715	Φ 3.75 x 15mm
802-2008	Φ 2.0 x 8mm	802-2725	Φ 2.75 x 25mm	802-3718	Φ 3.75 x 18mm
802-2010	Φ 2.0 x 10mm	802-2730	Φ 2.75 x 30mm	802-3720	Φ 3.75 x 20mm
802-2012	Φ 2.0 x 12mm	802-3006	Φ 3.0 x 6mm	802-3722	Φ 3.75 x 22mm
802-2015	Φ 2.0 x 15mm	802-3008	Φ 3.0 x 8mm	802-3725	Φ 3.75 x 25mm
802-2018	Φ 2.0 x 18mm	802-3010	Φ 3.0 x 10mm	802-3730	Φ 3.75 x 30mm
802-2020	Φ 2.0 x 20mm	802-3012	Φ 3.0 x 12mm	802-4006	Φ 4.0 x 6mm
802-2022	Φ 2.0 x 22mm	802-3015	Φ 3.0 x 15mm	802-4008	Φ 4.0 x 8mm
802-2025	Φ 2.0 x 25mm	802-3018	Φ 3.0 x 18mm	802-4010	Φ 4.0 x 10mm
802-2030	Φ 2.0 x 30mm	802-3020	Φ 3.0 x 20mm	802-4012	Φ 4.0 x 12mm
802-2206	Φ 2.25 x 6 mm	802-3022	Φ 3.0 x 22mm	802-4015	Φ 4.0 x 15mm
802-2208	Φ 2.25 x 8mm	802-3025	Φ 3.0 x 25mm	802-4018	Φ 4.0 x 18mm
802-2210	Φ 2.25 x 10mm	802-3030	Φ 3.0 x 30mm	802-4020	Φ 4.0x 20mm
802-2212	Φ 2.25 x 12mm	802-3206	Φ 3.25x 6mm	802-4022	Φ 4.0 x 22mm
802-2215	Φ 2.25 x 15mm	802-3208	Φ 3.25 x 8mm	802-4025	Φ 4.0 x 25mm
802-2218	Φ 2.25 x 18mm	802-3210	Φ 3.25 x 10mm	802-4030	Φ 4.0 x 30mm
802-2220	Φ 2.25 x 20mm	802-3212	Φ 3.25 x 12mm	802-4506	Φ 4.5 x 6mm
802-2222	Φ 2.25 x 22mm	802-3215	Φ 3.25 x 15mm	802-4508	Φ 4.5 x 8mm
802-2225	Φ 2.25 x 25mm	802-3218	Φ 3.25 x 18mm	802-4510	Φ 4.5 x 10mm
802-2230	Φ 2.25 x 30mm	802-3220	Φ 3.25x 20mm	802-4512	Φ 4.5 x 12mm
802-2506	Φ 2.5 x 6mm	802-3222	Φ 3.25 x 22mm	802-4515	Φ 4.5 x 15mm
802-2508	Φ 2.5 x 8mm	802-3225	Φ 3.25x 25mm	802-4518	Φ 4.5 x 18mm
802-2510	Φ 2.5 x 10mm	802-3230	Φ 3.25x 30mm	802-4520	Φ 4.5 x 20mm
802-2512	Φ 2.5 x 12mm	802-3506	Φ 3.5x 6mm	802-4522	Φ 4.5 x22mm
802-2515	Φ 2.5 x 15mm	802-3508	Φ 3.5 x 8mm	802-4525	Φ 4.5 x25mm
802-2518	Φ 2.5 x 18mm	802-3510	Φ 3.5 x 10mm	802-4530	Φ 4.5 x 30mm
802-2520	Φ 2.5 x 20mm	802-3512	Φ 3.5 x 12mm	802-5006	Φ 5.0 x 6mm
802-2522	Φ 2.5 x 22mm	802-3515	Φ 3.5 x 15mm	802-5008	Φ 5.0 x 8mm
802-2525	Φ 2.5 x 25mm	802-3518	Φ 3.5 x 18mm	802-5010	Φ 5.0 x 10mm
802-2530	Φ 2.5 x 30mm	802-3520	Φ 3.5x 20mm	802-5012	Φ 5.0 x 12mm
802-2706	Φ 2.75 x 6mm	802-3522	Φ 3.5x 22mm	802-5015	Φ 5.0 x 15mm
802-2708	Φ 2.75 x 8mm	802-3525	Φ 3.5x 25mm	802-5018	Φ 5.0 x 18mm
802-2710	Φ 2.75 x 10mm	802-3530	Φ 3.5 x 30mm	802-5020	Φ 5.0 x 20mm
802-2712	Φ 2.75 x 12mm	802-3706	Φ 3.75 x 6mm	802-5022	Φ 5.0 x 22mm
802-2715	Φ 2.75 x 15mm	802-3708	Φ 3.75 x 8mm	802-5025	Φ 5.0 x 25mm
802-2718	Φ 2.75 x 18mm	802-3710	Φ 3.75 x 10mm	802-5030	Φ 5.0 x 30mm
802-2720	Φ 2.75 x 20mm	802-3712	Φ 3.75 x 12mm		

COMPLIANCE CHART

Pressure (atm)	2.0mm	2.25mm	2.5mm	2.75mm	3.0mm	3.25mm	3.5mm	3.75mm	4.0mm	4.5mm	5.0mm
8	1.96	2.20	2.45	2.69	2.94	3.18	3.42	3.67	3.90	4.35	4.92
10	1.98	2.23	2.47	2.72	2.97	3.22	3.46	3.71	3.95	4.43	4.96
12 (NOM)	2.0	2.25	2.50	2.75	3.0	3.25	3.50	3.75	4.0	4.50	5.00
14	2.02	2.27	2.53	2.78	3.03	3.29	3.54	3.79	4.05	4.55	5.07
16	2.04	2.30	2.56	2.81	3.07	3.32	3.58	3.83	4.10	4.62	5.14
18	2.07	2.33	2.58	2.84	3.10	3.36	3.63	3.88	4.16	4.69	5.22
20	2.09	2.35	2.61	2.87	3.13	3.40	3.67	3.92	4.21	4.75	5.28
22 (RBP)	2.11	2.38	2.64	2.90	3.17	3.43	3.72	3.96	4.27	4.82	5.35
24	2.14	2.40	2.67	2.94	3.20	3.47	3.76	4.00	4.32	4.89	5.4
26	2.16	2.43	2.70	2.97	3.24	3.51	3.80	4.05	4.38	4.97	5.49
28	2.18	2.46	2.73	3.00	3.27	3.55	3.85	4.09	4.44	5.00	5.57
30	2.21	2.48	2.76	3.03	3.31	3.59	3.90	4.14	4.49	5.05	5.63